ELSEVIER

Volume 491, Numbers 1–2, 5 April 1995

Journal of Organometallic Chemistry

Contents

Invited Review

Some novelties in the chemistry of organomagnesium compounds with zirconium complexes
U.M. Dzhemilev, R.M. Sultanov and R.G. Gaimaldinov (Ufa, Russia) 1

Regular Papers

Synthesis and properties of novel substituted 4,5,6,7-tetrahydroindenes and selected metal complexes
R.N. Austin, T.J. Clark, T.E. Dickson, C.M. Killian, T.A. Nile, D.J. Schabacker (Greensboro, NC, USA) and A.T. McPhail (Durham, NC, USA) 11

Über Metallalkyl- und Arylverbindungen. LIV. Neue Triphenylmethyl-Verbindungen des Kaliums: [$KCPh_3$(PMDTA)], [$KCPh_3$-(DIGLYM)]$_n$ und [$KCPh_3$(THF)]$_n$
H. Viebrock, T. Panther, U. Behrens und E. Weiss (Hamburg, Deutschland) 19

Oxidation of palladium(I) dimers: formation and X-ray crystal structure of [$(Me_3P)_2Pd(\mu\text{-}OH)_2Pd(PMe_3)_2$][$CF_3SO_3$]$_2$
G. Pieri, M. Pasquali, P. Leoni (Pisa, Italy) and U. Englert (Aachen, Germany) 27

Dynamic stereochemistry in the titanocene series with central and planar chirality. X-Ray structure and relative configuration of the racemic form (m.p. 186°C) of [(η^5-1-Me-2-^{i}PrC_5H_3)(η^5-C_5H_5)Ti(2,6-$Me_2C_6H_3O$)Cl]
J. Besançon, J. Szymoniak, C. Moïse (Dijon, France), L. Toupet (Rennes, France) and B. Trimaille (Besançon, France) 31

Beiträge zur Chemie organometallischer metallacyclischer Nebengruppenmetallverbindungen. XII. Synthese, NMR-spektroskopische Untersuchung und Kristallstruktur von [Li(TMEDA)]$_2$Ni(-$CH_2CMe_2CMe_2CH_2$-)$_2$ **1** —vergleichende DTA-Untersuchungen von **1** und unsubstituierten Nickelacyclopentan-Komplexen der Zusammensetzung [LiL_x]$_2$Ni(-$CH_2CH_2CH_2CH_2$-)$_2$ (L = TMEDA, THF, d_8-THF)
R. Wyrwa, H.-O. Fröhlich und H. Görls (Jena, Deutschland) 41

Chromium–carbon multiple bonds: aminocarbyne complexes of chromium bearing isocyanide ligands
A.C. Filippou, C. Mehnert, K.M.A. Wanninger and M. Kleine (Garching, Germany) 47

The formation and molecular structure of [$Na(THF)_6$][(η^5-C_9H_7)$_3$Pr(μ-Cl)Pr(η^5-C_9H_7)$_3$]
Z. Ye, S. Wang, D. Kong (Anhui, People's Republic of China) and X. Huang (Fujian, People's Republic of China) 57

Reactivity of a (Fe–NO)–(Fe–NO_3) system in the presence of a ferrocene–ferricinium group tethered nearby via a ferrocenyl phosphine linkage (FcP_2): crystal structures of [{$Fe(NO)_2Cl$}$_2$(μ-FcP_2)] and [$Fe(NO)_2$(FcP_2)]
V. Munyejabo, J.-P. Damiano, M. Postel (Nice, France), C. Bensimon and J.L. Roustan (Ottawa, Canada) 61

Stereospezifische Umlagerung von P-halogensubstituierten Phosphorylid-Komplexen in Phosphan-Komplexe
H. Fischer (Konstanz, Deutschland), J. Schmid und J. Riede (Garching, Deutschland) 71

Reaktivität von Magnesium- und Calcium-bis[bis(trimethylsilyl)phosphanid] gegenüber Bis[bis(trimethylsilyl)amino]stannylen in Toluollösung
M. Westerhausen, M.M. Enzelberger und W. Schwarz (Stuttgart, Deutschland) 83

Asymmetric hydroformylation of styrene catalysed by platinum–tin complexes with chiral bis-binaphthophosphole ligands
S. Gladiali, D. Fabbri (Sassari, Italy) and L. Kollàr (Veszprém, Hungary) 91

Synthesis and properties of amido- and alkoxopalladium(II) complexes with tmeda (*N*,*N*,*N*′,*N*′-tetramethylethylenediamine) ligand
Y.-J. Kim, J.-C. Choi (Kangnung, Korea) and K. Osakada (Yokohama, Japan) 97

Reactions of benzoylmethylenetriphenylphosphorane with mercury(II) halides: spectral and structural characterization of [$(C_6H_5)_3$-$PCHCOC_6H_5 \cdot HgCl_2]_2 \cdot 2CH_3OH$ and [$(C_6H_5)_3PCHCOC_6H_5 \cdot HgI_2]_2$
M. Kalyanasundari, K. Panchanatheswaran (Tiruchirappalli, India), W.T. Robinson and H. Wen (Christchurch, New Zealand) 103

Metal carbonyl clusters in homogeneous catalysis. Hydrogenation and isomerization of cyclic dienes in the presence of [$H_4Ru_4(CO)_{12}$], [$H_2Ru_4(CO)_{13}$], [$H_2FeRu_3(CO)_{13}$] and [$Fe_2Ru(CO)_{12}$]. Identification of organometallic products and a discussion of their role
M. Castiglioni, R. Giordano and E. Sappa (Torino, Italy) 111

Monopentamethylcyclopentadienyl isocyanide, amine and imido tantalum(V) complexes. X-ray crystal structure of [$TaCp^*Cl_4$(CN-2,6-$Me_2C_6H_3$)]
M. Gómez, P. Gómez-Sal, M.P. Nicolás and P. Royo (Alcalá de Henares, Spain) 121

Reaction on the addition of some organometallic compounds to 3,6-di-*tert*-butyl-*o*-benzoquinone: new *o*-quinones
G.A. Abakumov, V.K. Cherkasov, L.G. Abakumova, V.I. Nevodchikov, N.O. Druzhkov, N.P. Makarenko and Ju.A. Kursky (Nizhny Novgorod, Russia) 127

Synthesis of organic heterocycles via multicomponent reactions with cyano transition metal complexes
D. Rieger, S.D. Lotz, U. Kernbach, C. André, J. Bertran-Nadal and W.P. Fehlhammer (Berlin, Germany) 135

Mono-η-cyclopentadienyl-benzamidinato chloro compounds of titanium, zirconium and hafnium
R. Gómez (Oxford, UK), R. Duchateau (Groningen, Netherlands), A.N. Chernega (Oxford, UK), J.H. Teuben (Groningen, Netherlands), F.T. Edelmann (Göttingen, Germany) and M.L.H. Green (Oxford, UK) 153

Syntheses of carbene and alkenyl derivatives of palladium. Solid-state structures of {$(Me_2NCS_2)Pd(PEt_3)[\eta^1$-$C(N(CH_3)C(CH_3)_3)CH_3]$}-$BPh_4$ and {$(Me_2NCS_2)Pd(PEt_3)[\eta^1$-$C(NHC(CH_3)_3)CH_3]$}$PF_6 \cdot Et_2O$
D.L. Reger and J.E. Collins (Columbia, SC, USA) 159
New organometallic complexes of buckminsterfullerene having π-bonded nickel, palladium, or platinum with triorganophosphite ligands, and their characterisation
F.J. Brady, D.J. Cardin (Berkshire, UK) and M. Domin (London, UK) 169
Lanthanoid-metal-mediated reaction of acylphosphonates: evidence for the formation of an acyllanthanoid complex
Y. Taniguchi, N. Fujii, K. Takaki and Y. Fujiwara (Higashi-Hiroshima, Japan) 173
Single component ruthenium(IV) catalysts for the ring-opening polymerization of norbornene
S. Wache, W.A. Herrmann, G. Artus, O. Nuyken and D. Wolf (Garching, Germany) 181
Benzene migration and isomer interconversion in $Ru_5C(CO)_{12}(C_6H_6)$: Comparison of solution and isolation matrix phenomena
D.B. Brown, P.J. Dyson, B.F.G. Johnson (Edinburgh, UK) and D. Parker (Cleveland, UK) 189
Reaction of the $[H_2Ru_3Rh(CO)_{12}]^-$ cluster anion with PPh_3: synthesis and structural characterization of $H_2Ru_3Rh_2(CO)_{13}(PPh_3)$
H.J. Kakkonen, M. Ahlgrèn, J. Pursiainen and T.A. Pakkanen (Joensuu, Finland) 195
Metallkomplexe mit biologisch wichtigen Liganden. LXXVI. Halbsandwichkomplexe von Cobalt(III), Iridium(III) und Ruthenium(II) mit Amiden von 2-Hydroxyiminocarbonsäuren
R. Lampeka (Kiev, Ukraine), R. Bergs (München, Deutschland), R. Fernández de Bobadilla (Murcia, Spain), K. Polborn, S. Mihan und W. Beck (München, Deutschland) 203
Cyclodimethylsilethenes $(Me_2SiCH{=}CH)_n$
M.G. Voronkov, O.G. Yarosh and G.Yu. Turkina (Irkutsk, Russia) 215
Synthesis of monomercurated N-protected pyrroles and the use of these compounds as pyrrolyl group transfer reagents to ruthenium and osmium. Crystal structures of $(2\text{-}C_4H_3NC[O]CH_3)HgCl$, $(2\text{-}C_4H_3NC[O]CH_3)_2Hg$ and $Ru(2\text{-}C_4H_3NSO[O]Ph)(S_2CNMe_2)(CO)(PPh_3)$
G.R. Clark, M.M.P. Ng, W.R. Roper and L.J. Wright (Auckland, New Zealand) 219
Lone-pair ligand effects on the oxidative addition of methane to second-row transition metal complexes
P.E.M. Siegbahn (Stockholm, Sweden) 231
The X-ray crystal structures of $ClPh_2SnFe(CO)_3(NO)$ and $Ph_3SnFe(CO)_3(NO)$ and a re-investigation of the IR spectra of $XR_2SnFe(CO)_3(NO)$ species
M. Kay, K.M. Mackay and B.K. Nicholson (Hamilton, New Zealand) 247
Synthesis of dimanganese complexes containing mixed bridging phosphido ligands; crystal structures of $[Mn_2(\mu\text{-}PPh_2)\{\mu\text{-}PPhMn(CO)_5\}(CO)_8]$ and $[Mn_2(\mu\text{-}PPhH)(\mu\text{-}PPhCOMe)(CO)_8]$
L. Manojlovic-Muir, K.W. Muir, M.C. Jennings (Glasgow, UK), M.J. Mays, G.A. Solan and K.W. Woulfe (Cambridge, UK) 255
Isomerization of 1-alkenes using the $Na_2Fe(CO)_4/CuCl$ and $Na_2Fe(CO)_4/BrCH_2CH_2Br$ reagent systems
M. Rama Reddy and M. Periasamy (Hyderabad, India) 263
Ein einfacher Syntheseweg für Cyclobutenylidenwolfram-Komplexe—Struktur von Pentacarbonyl(phenylacetylen)wolfram
H. Fischer, H.-P. Volkland, A. Früh und R. Stumpf (Konstanz, Deutschland) 267
Binuclear complexes of rhodium or copper with pentamethylcyclopentadienyltricarbonyltungsten. Crystal structure of $(\eta^5\text{-}C_5Me_5)(CO)W(\mu\text{-}CO)_2Rh(PPh_3)_2$
W.E. Lindsell, K.J. McCullough and S. Plancq (Edinburgh, UK) 275
Amphiphilie kationischer η^2-Phosphinocarbenkomplexe des Wolframs
J. Ostermeier, W. Hiller und F.R. Kreißl (Garching, Deutschland) 283
Synthesis and crystal structure of $[(CO)_6Fe_2(\mu\text{-}SeCH_3)_2]$
P. Mathur, R. Trivedi, M. Hossain Md. (Bombay, India), S.S. Tavale and V.G. Puranik (Pune, India) 291

Preliminary Communications

Zum Mechanismus der Heck-Reaktion: Katalysator-Deaktivierung durch PC-Bindungsbruch
W.A. Herrmann, C. Broßmer, K. Öfele (Garching, Deutschland), M. Beller und H. Fischer (Frankfurt am Main, Deutschland) C1
Double hydrostannation of terminal alkynes in the presence of thiol
J.-C. Meurice, M. Vallier, S. André, M. Ratier and J.-G. Duboudin (Talence, France) C5

Erratum

Carbene complexes. XXIV. Preparation and characterization of two enetetramine-derived carbenerhodium(I) chloride complexes $RhCl(L^R)_3$ and $[RhCl(COD)L^R]$ {L^R = $CN(Me)C(CH)_4CNMe$-*o*} and the preparation and X-ray structures of the enetetramine L_2^R and its salt $[L_2^R][BF_4]_2$
E. Çetinkaya, P.B. Hitchcock, H. Küçükbay, M.F. Lappert and S. Al-Juaid (Brighton, UK) C7

Announcement C8

Conference Calendar C9

Author Index C12

Subject Index C14

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.